

The heart of your building™



KONE KSS 130

A STYLISH, VANDAL RESISTANT ELEVATOR SIGNALIZATION FOR NEW AND EXISTING ELEVATORS

- An impact, scratch and burn resistant signalisation
- All devices are splash resistant and easy to clean
- The durable yet attractive design makes it ideal for public transport, airports, public buildings, goods, residential, and office or retail elevators.
- Complies with European standard (EN81-71) for vandal resistant elevators category 1 requirements
- Complies with European accessibility standard (EN81-70)
- For buildings up to 24 floors
- Available for new and existing elevators

Car operating panel (COP)

Faceplate finishing: Scottish Quad, textured stainless steel

Displays: Scrolling dot matrix

Buttons: Round, surface mounted


Color: Amber

Fixing type: Flush mounted with KONE shield screws.




KSC 133

Full height COP



Partial height COP



Available in variable dimensions
for modernization

KSS130 functions and features

Dual function emergency symbols

The integrated emergency symbols have a dual function, working as an emergency light and as a call connection sequence indicator.

Emergency light



In case of a power failure the symbols are backlit with bright light, illuminating the car and ensuring the instructions are clearly visible for persons trapped in the car.

Emergency connection indicators



The amber alarm bell symbol lights up when the alarm button is pressed.



The symbols light up step by step showing the progression of the call.




When the green light is on, the call is connected to the emergency call center.



Durable faceplates

The textured faceplates conceal scratches and keep the devices in good condition for longer. In addition they offer attractive design features for both new and existing elevators.

Shielded display units



The display units are shielded by an impact resistant metal mesh and transparent, fire resistant plastic covers.

Landing signalizations


Display

- All devices are impact, scratch and burn resistant.
- The displays are covered by a strong steel mesh.
- The cutouts for the display lights are filled with fire resistant transparent plastic.
- Available in variable dimensions to fit existing faceplate spaces.

Hall lantern indicator




KSH 133



Hall lantern




KSH 130



KSH 130

Landing call station



KSL 130

